

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2539	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:54
L2	1	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) with (by or using) with ("one-time pad") and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:10
L3	1707	(generat\$4 or produc\$4 or creat\$4 or form\$4) near3 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:11
L5	1	(generat\$4 or produc\$4 or creat\$4 or form\$4) near3 (encrypt\$4 adj2 key) same ("one-time pad") and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:12
L6	990	(generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:57
L8	13	(generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) with (byte) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:15
L9	8	"one-time pad" with byte and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/22 08:42
L11	990	(generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:54
L14	25	(generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) and 713/185.ccls. and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 09:01

L15	13	(generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) with byte and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 09:01
L17	31	(method or system or device or apparatus) with (generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/22 11:08
L18	35	(method or system or algorithm) with (generat\$4 or produc\$4 or creat\$4 or form\$4) adj2 (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/22 11:08
S1	22	("4179686" "4245213" "5430277" "4581634" 4785290 "4993068" "5932119" 6272637 "4303852" "5420924" "5509083" "4464566" "5864622" "4764666" "4931629" "5617528" "6000608" "5988510" "3764742" "6106457" "6085976" "5513272").pn.	US-PGPUB; USPAT	OR	ON	2004/12/17 11:48
S2	2	ep-730243-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S3	2200	(generat\$4 or produc\$4 or creat\$4) with (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 08:07
S4	178	(generat\$4 or produc\$4 or creat\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 12:00
S5	199	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 12:02

S6	199	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:04
S7	92	(method or system or device or apparatus) with (generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/22 11:03
S8	136	(generat\$4 or produc\$4 or creat\$4 or form\$4) near3 (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:05
S9	60	(method or system or device or apparatus) with (produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:21
S10	124	(produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:22
S11	81	(produc\$4 or creat\$4 or form\$4) near3 (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:23
S12	53	(produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) and (713/185 or 235/380-382.5 or 705/65-69).ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:28
S13	1	(generat\$3 or produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) same (read\$3 adj2 byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:29
S14	899	(generat\$3 or produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 12:30
S15	13200	(read\$3 near3 byte)	US-PGPUB; USPAT	OR	ON	2004/12/17 12:30
S16	44	(read\$3 adj2 sequence adj2 byte)	US-PGPUB; USPAT	OR	ON	2004/12/17 15:45
S18	55	S14 and S15	US-PGPUB; USPAT	OR	ON	2004/12/17 12:31

S20	125	(byte with encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:35
S21	7	((multi or multiple or many or several) near3 byte) with (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:22
S22	9	(byte with ((key adj2 encrypt\$4 adj2 key) or key\$1encryption\$1key)) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 13:37
S23	25	flash adj2 encrypt\$3	US-PGPUB; USPAT	OR	ON	2004/12/17 13:53
S25	3012	(encrypt\$4 adj2 algorithm) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:22
S27	73	(encrypt\$4 adj2 algorithm) with (byte) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 14:24
S28	68	(encrypt\$4 adj2 algorithm) with (byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 16:40
S31	1	(assign\$4 with byte) with (encryption adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 14:57
S32	1	(assign\$4 with byte) with (encryption near3 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 15:22
S35	235	(types or classification) with (encryption adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 15:05
S36	5	(types or classification) with (encryption adj2 key) with (byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 15:05
S38	2	("5115467" "5351293").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/17 15:08
S39	101	form\$4 adj2 (encryption adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 15:24

S40	3	form\$4 adj2 (encryption adj2 key) with (encrypt\$3 with (photograph or photo or image or voice)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 15:27
S41	2	ep-1223705-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/17 16:04
S44	1	((form\$3 or generat\$3 or creat\$4 or produc\$4) near3 (encrypt\$3 near3 key)) with (read\$3 near3 byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 16:46
S45	2	((form\$3 or generat\$3 or creat\$4 or produc\$4) with (encrypt\$3 near3 key)) with (read\$3 near3 byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 16:50
S46	5	((form\$3 or generat\$3 or creat\$4 or produc\$4) with (encrypt\$3 near3 key)) with (read\$3 with byte) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/17 16:59
S47	1	"5257282".pn.	US-PGPUB; USPAT	OR	ON	2004/12/17 16:59
S48	1	"5261003".pn.	US-PGPUB; USPAT	OR	ON	2004/12/17 17:09
S52	10	crypto\$6 adj2 hash adj2 function and @ad<"19991001"	US-PGPUB; USPAT	OR	ON	2004/12/17 17:23
S54	7	((number or no) adj2 byte) with (encryption adj2 key)) and @ad<"19991001"	US-PGPUB; USPAT	OR	ON	2004/12/17 17:24
S55	83	"one-time pad" and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:52
S57	2	("one-time pad" with sum) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 10:18
S58	4	("one-time pad" same sum) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 15:14
S59	1	("one-time pad" same average) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 10:18
S60	1	"one-time pad" and 713/185.ccls. and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 10:20
S61	1	"one-time pad" with sum and average and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 10:46
S62	2	(generat\$4 or produc\$4 or creat\$4) with (encrypt\$4 adj2 key) with ("one-time pad") and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:40

S63	2	"one-time pad" with ((generat\$4 or produc\$4 or creat\$4) with (encrypt\$4 adj2 key)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:42
S64	3	"one-time pad" same ((generat\$4 or produc\$4 or creat\$4) with (encrypt\$4 adj2 key)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:46
S66	15250	"one-time pad" same ((sum and average)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:46
S69	8835	"one-time pad" with ((sum and average)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:47
S70	8689	"one-time pad" with ((sum same average)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:47
S71	223	"one-time pad" near3 ((sum same average)) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:48
S75	899	(generat\$3 or produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 12:37
S76	899	(generat\$3 or produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 11:52
S77	83	"one-time pad" and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/22 08:42
S78	15	S76 and S77	US-PGPUB; USPAT	OR	ON	2004/12/20 12:36
S79	3	(generat\$3 or produc\$4 or creat\$4 or form\$4) adj3 (encrypt\$4 adj2 key) with mod and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 13:06
S80	1	09/981501	US-PGPUB; USPAT	OR	ON	2004/12/20 13:30
S81	34	"vernarn cipher"	US-PGPUB; USPAT	OR	ON	2004/12/20 13:30
S82	17	"vernarn cipher" and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/20 13:30
S83	1	"5077793".pn.	US-PGPUB; USPAT	OR	ON	2004/12/20 15:14
S89	16	"multi-byte" and (encryption adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/21 10:05
S91	1	"multi-byte" same (encryption adj2 key) and @ad<"19990601"	US-PGPUB; USPAT	OR	ON	2004/12/21 10:06
S92	25	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) with (one-time pad) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:19

S93	710	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) with stor\$4 and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:26
S96	7	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) with stor\$4 with byte and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:21
S98	2	(generat\$4 or produc\$4 or creat\$4 or form\$4) with (encrypt\$4 adj2 key) with ("one-time pad") and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:51
S99	1	"6128386".pn.	US-PGPUB; USPAT	OR	ON	2004/12/21 10:41
S10 4	359	form\$4 with (sequence near3 byte) and @ad<"19990601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:53
S10 7	1	08/940553	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:13